

ReliSorb™ QA

Highly Porous Hydrophilic Packing Material



Product Features

Matrix Appearance Functional group Dynamic Binding Capacity (DBC) pH stability range Temperature stability range Recommended storage temperature Highly porous polymethacrylate White opaque spherical beads Quaternary ammonium, Cl form min. 30 mg/ml (BSA^a) 1 - 14 $2 - 60^{\circ}$ C $2 - 30^{\circ}$ C

^a Feed solution: 10 g/l BSA in 20 mM TRIS - HCl buffer, pH 7; flow rate = 150 cm/h

Application

Strong anion exchange resin for biomolecules capture and purification.


| Name | Particle Size Range (μm) | Mean diameter (μm) |
|--|-----------------------------|-----------------------|
| ReliSorb™ QA400/SS ^(*) | 50 - 150 | 90 |
| ReliSorb™ QA400 | 75 – 200 | 120 |
| ReliSorb™ QA405/EB | 200 – 500 | 300 |

(*) also available in 0.8 x 10 cm **ReliChrom**[™] prepacked columns with 5 ml net volume.


Resindion S.r.l.

A Subsidiary of AMITSUBISHI CHEMICAL

Pressure drop in water at 25°C



Typical purification example: α-amylase purification



Blue line: Elution profile; Green line: buffer elution profile

Remarks

Wear safety glasses and gloves during the resin handling. Refer to the Safety Data Sheet for all details.

Notice:

All the data and suggestions made herein are based upon our research and are believed to be accurate. However, no guarantee is made or implied since conditions and methods of use of our products are beyond our control. Our products are sold on the conditions that the user will evaluate himself, as well as our formulas and recommendations, to determine their suitability for his own purpose. Also, statements as to the use of our products are not be construed as recommendations for their use in the infringements of any patent.

Via Roma, 55 – 20082 Binasco (MI) Italy **Phone**: 0039.02.900130221 – 223 **Fax**: 0039.02.90090774 **e-mail**: <u>info@resindion.com</u> – www.resindion.com